No Flu Vaccination (Adults Age 18-64)

No Flu Vaccination (Adults Age 18-64)

- •Most recent data (2013): 63% or about 825,200 King County adults age 18-64.
 •Trend over time: 2001-13: falling
 •Description: Did not have a flu shot within the past year

No flu vaccination (adults age 18-64), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults age 18-64)	65	63	66
AGE			
18-24	78	74	81
25-44	69	67	71
45-64	55	53	57
GENDER			
Male	68	66	69
Female	62	60	64
RACE/ETHNICITY			
AIAN	64	51	75
Asian	66	62	70
Black	66	60	72
Hispanic	71	66	75
Multiple	62	54	70
NHPI	67	53	79
White	64	62	65
HOUSEHOLD INCOME			
<\$15,000	71	66	76
\$15,000 to \$24,999	75	71	79
\$25,000 to \$34,999	70	65	75
\$35,000 to \$49,999	69	64	73
\$50,000 to \$74,999	64	61	68
\$75,000+	57	55	59
REGION			
East	63	61	66
North	61	56	66
Seattle	65	63	67
South	65	63	68

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

No flu vaccination (adults age 18-64) King County, 2009-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015. |-----| Confidence interval shows range that includes true value 95% of the time.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Too few cases to protect confidentiality and/or report reliable rates. § Too few cases to meet precision standard, interpret with caution.

No flu vaccination (adults age 18-64) by comparison areas

The Healthy People 2020 Objective for no flu vaccination (adults age 18-64) is 30%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2011	68	N/A	N/A
WA State	2011	67	N/A	N/A
King County	2013	63	60	66

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

N/A: Not available.

CI is 95% Confidence Interval.

No flu vaccination (adults age 18-64) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

No flu vaccination (adults age 18-64) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI		
King County (adults age 18-64)	65	63	66		
Auburn	69	62	76		
Auburn-North	71	62	79		
Auburn-South	67	54	77		
Bear Creek/Carnation/Duvall	59	52	65		
Bellevue	63	58	68		
Bellevue-Central	67	55	77		
Bellewe-NE	60	50	69		
Bellevue-South	61	51	69		
Bellewe-West	65	54	75		
Black Diamond/Enumclaw/SE County	64	55	72		
Bothell/Woodinville	67	58	75		
Burien	68	60	76		
Covington/Maple Valley	70	63	76		
Des Moines/Normandy Park	72	64	79		
East Federal Way	66	54	76		
Fairwood	65	52	76		
Federal Way	66	58	72		
Fed Way-Central/Military Rd	63	56	72		
Fed Way-Dash Point/Woodmont	71	59	80		
Issaguah					
Kenmore/LFP	61	49	72		
	58	48	67		
Kent	64	58	70		
Kent-East	54	42	67		
Kent-SE	65	57	72		
Kent-West	70	58	80		
Kirkland	64	58	70		
Kirkland	63	56	70		
Kirkland North	65	56	74		
Mercer Isle/Pt Cities	51	42	60		
Newcastle/Four Creeks	66	57	74		
North Highline	70	51	84		
Redmond	70	62	77		
Renton	58	52	63		
Renton-East	56	46	65		
Renton-North	64	52	75		
Renton-South	54	45	63		
Sammamish	64	57	71		
SeaTac/Tukwila	68	58	76		
Seattle	65	63	67		
Ballard	70	63	76		
Beacon/Gtown/S.Park	66	55	75		
Capitol Hill/E.lake	59	50	67		
Central Seattle	55	45	64		
Delridge	68	57	76		
Downtown	70	61	78		
Fremont/Greenlake	66	58	73		
NE Seattle	65	58	71		
North Seattle	70	62	77		
NW Seattle	65	56	73		
QA/Magnolia	60	51	68		
SE Seattle	71	62	78		
West Seattle	63	56	70		
Shoreline	61	53	68		
Snoqualmie/North Bend/Skykomish	67	58	74		
Vashon Island	57	41	72		
^omnariesne-					

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{*} Too few cases to protect confidentiality and/or report reliable rates.


No flu vaccination (adults age 18-64) by health reporting areas King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

No flu vaccination (adults age 18-64) King County, 2001-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

